



















Ancillaries

Exodraft – Chimney Fans **7.2**

Ancillaries **7.5**





Exodraft



Product Description	Diameter	Part No.	Price
Draftbooster Fans			
 Draftbooster – Black Easy to install fan to assist with lighting of closed woodburners and inserts		71DB	£411.40
Fans			
 RS009-4-1 Exodraft Fan Horizontal discharge with axial vane impeller suitable for solid fuel applications		71RS009	£743.60
 RS012-4-1 Exodraft Fan Horizontal discharge with axial vane impeller suitable for solid fuel applications		71RS012	£880.00
 RS014-4-1 Exodraft Fan Horizontal discharge with axial vane impeller suitable for solid fuel applications		71RS014	£1,102.20
 RS016-4-1 Exodraft Fan Horizontal discharge with axial vane impeller suitable for solid fuel applications		71RS016	£1,468.50
 RS255-4-1 Exodraft Fan Horizontal discharge with centrifugal impeller suitable for oil, gas, biomass boilers and multi storey buildings		71RS255	£1,078.00
 RS285-4-1 Exodraft Fan Horizontal discharge with centrifugal impeller suitable for oil, gas, biomass boilers and multi storey buildings		71RS285	£1,195.70
 RSV009-4-1 Exodraft Fan Vertical discharge with axial vane impeller suitable for solid fuel applications		71RSV009	£979.00
 RSV012-4-1 Exodraft Fan Vertical discharge with axial vane impeller suitable for solid fuel applications		71RSV012	£1,243.00
 RSV014-4-1 Exodraft Fan Vertical discharge with axial vane impeller suitable for solid fuel applications		71RSV014	£1,548.80

Product Description	Diameter	Part No.	Price
 RSV016-4-1 Exodraft Fan Vertical discharge with axial vane impeller suitable for solid fuel applications		71RSV016	£2,043.80
 RSV160-4-1 Exodraft Fan Vertical discharge with centrifugal impeller suitable for oil, gas, biomass boilers and multi storey buildings		71RSV160	£1,181.40
 RSV200-4-1 Exodraft Fan Vertical discharge with centrifugal impeller suitable for oil, gas, biomass boilers and multi storey buildings		71RSV200	£1,455.30
 RSV250-4-1 Exodraft Fan Vertical discharge with centrifugal impeller suitable for oil, gas, biomass boilers and multi storey buildings		71RSV250	£1,798.50
 RSV315-4-1 Exodraft Fan Vertical discharge with centrifugal impeller suitable for oil, gas, biomass boilers and multi storey buildings		71RSV315	£2,368.30
 RSV400-4-1 Exodraft Fan Vertical discharge with centrifugal impeller suitable for oil, gas, biomass boilers and multi storey buildings		71RSV400	£2,796.20
 RHG160 Exodraft Fan Horizontal discharge with centrifugal impeller and built in pressure switch suitable for gas application		71RHG160	£1,092.30
 RSHG012-4-1 Exodraft Fan Horizontal discharge with axial vane impeller and built in pressure switch suitable for gas application		71RSHG12	£1,181.40

Product Description	Diameter	Part No.	Price
 RSHG14-4-1 Exodraft Fan Horizontal discharge with axial vane impeller and built in pressure switch suitable for gas application		71RSHG14	£1,383.80
 RSVG200-4-1 Exodraft Fan Vertical discharge with centrifugal impeller and built in pressure switch suitable for gas application		71RSVG200	£1,624.70
 RSVG250-4-1 Exodraft Fan Vertical discharge with centrifugal impeller and built in pressure switch suitable for gas application		71RSVG250	£1,963.50
 RSVG315-4-1 Exodraft Fan Vertical discharge with centrifugal impeller and built in pressure switch suitable for gas application		71RSVG315	£2,504.70
 RSG125-4-1 Exodraft Fan Wall mounted with centrifugal impeller and built in pressure switch		71RSG125	£937.20
 RSG150-4-1 Exodraft Fan Wall mounted with centrifugal impeller and built in pressure switch		71RSG150	£1,129.70
 RSG200-4-1 Exodraft Fan Wall mounted with centrifugal impeller and built in pressure switch		71RSG200	£1,266.10
Solenoid Valves			
 Single Solenoid Valve 6mm For use on gas application up to 15kW input		71SOL14	£113.30
 Single Solenoid Valve 15mm For use on gas application above 15kW input		71SOL12	£182.60

Product Description	Diameter	Part No.	Price
Controllers			
 EFC 16 Control System Wall mounted with dial suitable for solid fuel application		71EFC16	£122.10
 EFC 18 Control System Wall mounted with electronic speed control suitable for solid fuel application		71EFC18	£348.70
 EFC 21 Control System Wall mounted automatic controller, can be integrated with remote, suitable for gas application		71EFC21	£357.50
 EFC 25 Control System Wall mounted with automatic controller with remote suitable for gas application		71EFC25	£495.00
 EFC 35 Control System Wall mounted with dial suitable for solid fuel application		71EFC35	£206.80
 EBC 10 Controller Wall mounted automatic controller suitable for one boiler or installations using one heat source		71EBC10	£532.40
 EBC 20 Controller Wall mounted automatic controller suitable for one or multiple boilers using gas, oil or solid fuel		71EBC20	£1,003.20
 EBC 22 Controller Wall mounted automatic controller suitable for one or multiple boilers using gas, oil or solid fuel		71EBC22	£1,148.40
 EW41 Control System Remote control suitable for solid fuel application Signal amplifier available for use when the signal is weak up to 12m from inside on remote		71EW41	£701.80

Product Description	Diameter	Part No.	Price
Isolation Switches			
 Isolation Switch 2 Pole Mandatory for service and cleaning maintenance safety		71IS02P	£103.40
 Isolation Switch 4 Pole Mandatory for service and cleaning maintenance safety		71IS04P	£103.40
Flanges			
 FR1 Flange Stainless Steel Construction used to provide a flat base to mount the chimney fan to a twin wall chimney system	125mm	7101125	£79.20
	150mm	7101150	£79.20
	175mm	7101175	£79.20
	200mm	7101200	£79.20
 FR2 Flange Stainless Steel Construction used to provide a flat base to mount the chimney fan to a twin wall chimney system	125mm	7102125	£88.00
	150mm	7102150	£88.00
	175mm	7102175	£88.00
	200mm	7102200	£88.00
	225mm	7102225	£88.00
	250mm	7102250	£88.00
	300mm	7102300	£166.10




Product Description	Diameter	Part No.	Price
 FR3 Flange Stainless Steel Construction used to provide a flat base to mount the chimney fan to a twin wall chimney system	150mm	7103150	£96.80
	175mm	7103175	£96.80
	200mm	7103200	£96.80
	225mm	7103225	£96.80
	250mm	7103250	£96.80
	300mm	7103300	£96.80
 FR4 Flange Stainless Steel Construction used to provide a flat base to mount the chimney fan to a twin wall chimney system	350mm	7103350	£96.80
	150mm	7104150	£166.10
	200mm	7104200	£127.60
	250mm	7104250	£127.60
	300mm	7104300	£127.60
	350mm	7104350	£127.60
	400mm	7104400	£127.60
450mm	7104450	£124.30	

? Did you know?

Our technical department can specify the correct fan for your system, contact us for more information

#designedtobebetter

Which size and type of chimney fan should I use?

Chimney	Open Fireplace		Closed Wood Stove / Fireplace Insert		
					
	Fireplace Opening**		Door Opening**		
	max 0.3m ²	max 0.5m ²	max 0.8m ²	max 1.2m ²	max 0.15m ²
∅ 150mm / 150 x 150mm	RSV12 / RS12	RSV14 / RS14			RSV9 / RS9
∅ 200mm / 200 x 200mm	RSV9 / RS9	RSV12 / RS12	RSV14 / RS14	RSV16	RSV9 / RS9
∅ 250mm / 250 x 250mm	RSV9* / RS9	RSV12 / RS12	RSV12 / RS12	RSV14 / RS14	RSV9* / RS9
∅ 300mm / 300 x 300mm	RSV9* / RS9*	RSV12* / RS12	RSV12* / RS12	RSV14 / RS14	RSV9* / RS9*


* If the chimney opening is larger than the chimney fan base plate, you can adapt it by means of a flange or choose a larger chimney fan.

**** Area of opening**

- A. One-sided fireplace: Area = a x h (m²)
- B. Corner installation: Area = 0.8 x (a + b) x h (m²)

Prerequisites

- Chimney height: 2–8m
- Elbows: Max 2 x 90° bends
- No other ventilation / exhaust





Ancillaries




Product Description	Diameter	Part No.	Price
Cowls / Terminals			
 Junior Stainless – Terracotta – Strap Fix Fully assembled cowl complete with birdguard – anti downdraught	125 – 200mm	3501010	£87.90
 MAD Cowl – Terracotta – Strap Fix Pepperpot style cowl complete with bird guard – anti downdraught	125 – 200mm	3503003	£51.64
 Terracotta Spinning Cowl Rotating cowl designed to eradicate downdraught while assisting ventilation	125 – 250mm	3501008	£161.77
 Spinner Cowl Large Rotating cowl designed to eradicate downdraught while assisting ventilation	125 – 250mm	3501018	£157.94
 Spinner Cowl Large Adaptor Used to provide a more secure attachment to flue pipe applications	125mm	3501020	£50.25
	150mm	3501021	£50.25
 Spinner Cowl Mini Rotating cowl designed to eradicate downdraught while assisting ventilation		3501022	£153.15
 Spinner Cowl Mini Adaptor Used to provide a more secure attachment to flue pipe applications	100mm	3501024	£34.10
	125mm	3501025	£34.10
	150mm	3501026	£34.10













Product Description	Diameter	Part No.	Price
 Rain Guard – Terracotta with Birdguard Simple to fit Reduces rain and animal entry		3508077	£28.76
 Solid Fuel Birdguard – Stainless Steel / Terracotta – Strap Fix Matches Pot Hanging Cowl Offers good rain protection and reduced animal entry		3501012	£67.66
 Junior Multi Fuel Bird Guard – Stainless Steel Offers good rain protection and reduced animal entry		3501017	£39.78
 Decorative Pot Guard – Terracotta Bird guard only, offers no weather protection Spring fit	150 – 225mm	3510367	£16.19
 Decorative Pot Guard – Buff Bird guard only, offers no weather protection Spring fit	150 – 225mm	3511367	£16.19
 Euro Topguard – Stainless Steel – Strap Fix Provides protection against animals, wind and rain Provides good ventilation	125 – 250mm	3600077	£77.15

Cowl Usage				
	Gas	Oil	Wood	Solid Fuel
Junior Cowl – Stainless / Terracotta			✓	✓
MAD Cowl – Terracotta	✓	✓	✓	
Terracotta Spinning Cowl				
Spinner Cowl Large	✓	✓	✓	✓
Spinner Cowl Mini	✓	✓	✓	✓
Rain Guard – Terracotta	✓	✓	✓	
Solid Fuel Birdguard			✓	✓
Junior Multi Fuel Bird Guard				
Decorative Pot Guard				
Euro Topguard Stainless Steel / Terr. Or Buff	✓	✓	✓	✓
Mini Euro Topguard Stainless Steel / Terracotta	✓	✓	✓	✓
Pot Hanging Cowl			✓	✓

Product Description	Diameter	Part No.	Price
 Euro Topguard – Stainless Steel / Terracotta – Strap Fix Provides protection against animals, wind and rain Provides good ventilation	125 – 250mm	3600079	£82.20
 Euro Topguard – Stainless Steel / Buff – Strap Fix Provides protection against animals, wind and rain Provides good ventilation	125 – 250mm	3600078	£82.20
 Mini Euro Topguard – Stainless Steel Designed to cure smoky fireplaces / stoves by combating draught caused by turbulent wind conditions	125 – 250mm	3601004	£87.19
 Mini Euro Topguard – Stainless Steel / Terracotta Designed to cure smoky fireplaces / stoves by combating draught caused by turbulent wind conditions	125 – 250mm	3601005	£93.17
 Pot Hanging Cowl – Stainless Steel / Terracotta All in one liner hanger from pot with rain & birdguard attached	125mm	3505001	£104.41
	150mm	3506001	£104.41
	180mm	3507001	£104.41
 Pot Hanging Cowl – Stainless Steel / Buff All in one liner hanger from pot with rain & birdguard attached	125mm	3505001B	£104.41
	150mm	3506001B	£104.41
 Fixing Strap for Pot Stainless steel jubilee clip		3600191	£7.12
 C-Cap Terracotta For use with redundant flues only – provides protection from animals, wind and rain Reduces heat loss, supplied with insect mesh	up to 280mm	3600053	£21.70
	up to 330mm	3600055	£28.72
 C-Cap Buff For use with redundant flues only – provides protection from animals, wind and rain Reduces heat loss, supplied with insect mesh	up to 280mm	3600054	£21.70

Product Description	Diameter	Part No.	Price
 Steel Top Cowl Also known as a vedette cowl Used to help with up draught on installations and reduces draught	100mm	3604074	£74.90
	125mm	3605074	£96.46
	150mm	3606074	£128.56
	175mm	3607074	£150.00
	200mm	3608074	£173.63
 Steel Top Bird Guard Kit Mesh covers for bird protection on gas & oil appliances	100mm	3604076	£7.60
	125mm	3605076	£12.42
	150mm	3606076	£16.57
	175mm	3607076	£29.34
200mm	3608076	£29.34	






Flashings			
 Lead Flashing – 30° Pitch Suitable for slates, flat tiles and pan tiles	Ext. 130mm	8805030	£74.07
	Ext. 159mm	8806030	£79.47
	Ext. 180mm	8807030L	£144.84
	Ext. 210mm	8808030	£144.11
	Ext. 235mm	8809030	£156.22
	Ext. 260mm	8810030	£181.81
	Ext. 311mm	8812030	£226.25
	 Lead Flashing – 35° Pitch Suitable for slates, flat tiles and pan tiles	Ext. 130mm	8805035
Ext. 159mm		8806035	£79.47
Ext. 180mm		8807035	£140.06
Ext. 210mm		8808035	£144.11
Ext. 235mm		8809035	£156.22
Ext. 260mm		8810035	£181.81
Ext. 311mm		8812035	£226.25
 Lead Flashing – 45° Pitch Suitable for slates, flat tiles and pan tiles		Ext. 130mm	8805045
	Ext. 159mm	8806045	£98.32
	Ext. 180mm	8807045	£144.11
	Ext. 210mm	8808045	£152.18
	Ext. 235mm	8809045	£181.81
	Ext. 260mm	8810045	£200.67
	Ext. 311mm	8812045	£247.80


Product Description	Diameter	Part No.	Price
 Lead Flashing – Flat Suitable for slates, flat tiles and pan tiles	Ext. 159mm	8806038	£79.47
	Ext. 180mm	8807038	£140.06
	Ext. 210mm	8808038	£144.11
	Ext. 235mm	8809038	£156.22
 Masterflash No.4 – EPDM – Low Temp Suitable for corrugated and flat roof	Ext. 76 – 152mm	54MF104	£28.48
 Masterflash No.5 – EPDM – Low Temp Suitable for corrugated and flat roof	Ext. 102 – 178mm	54MF105	£32.33
 Masterflash No.6 – EPDM – Low Temp Suitable for corrugated and flat roof	Ext. 127 – 228mm	54MF106	£48.16
 Masterflash No.7 – EPDM – Low Temp Suitable for corrugated and flat roof	Ext. 152 – 280mm	54MF107	£64.67
 Masterflash No.8 – EPDM – Low Temp Suitable for corrugated and flat roof	Ext. 178 – 330mm	54MF108	£78.80
 Masterflash No.9 – EPDM – Low Temp Suitable for corrugated and flat roof	Ext. 254 – 467mm	54MF109	£138.90
 Masterflash MAXI – EPDM – Low Temp Suitable for corrugated and flat roof	Ext. 330 – 660mm	54MF110	£228.46
 Masterflash No.4 – Silicone – High Temp Suitable for corrugated and flat roof	Ext. 76 – 152mm	54MF204	£43.27
 Masterflash No.5 – Silicone – High Temp Suitable for corrugated and flat roof	Ext. 102 – 178mm	54MF205	£46.94
 Masterflash No.6 – Silicone – High Temp Suitable for corrugated and flat roof	Ext. 127 – 228mm	54MF206	£70.06
 Masterflash No.7 – Silicone – High Temp Suitable for corrugated and flat roof	Ext. 152 – 280mm	54MF207	£88.43



Product Description	Diameter	Part No.	Price
 Masterflash No.8 – Silicone – High Temp Suitable for corrugated and flat roof	Ext. 178 – 330mm	54MF208	£106.39
 Masterflash No.9 – Silicone – High Temp Suitable for corrugated and flat roof	Ext. 254 – 467mm	54MF209	£187.76
 Masterflash MAXI – Silicone – High Temp Suitable for corrugated and flat roof	Ext. 330 – 660mm	54MF210	£371.85
 Standard Fixing Kit For use with Masterflash		5500901	£9.83
 Lead Based Masterflash Rubber upstand on lead base suitable for slate flat tile & pan tile roof	Ext. 80 – 200mm	54MF211	£116.39
	Ext. 200 – 280mm	54MF212	£169.52
	Ext. 280 – 450mm	54MF213	£241.69
 Res 1 Uni-Flash Rubber upstand on malleable metal base Suitable for slate, flat tile and pan tile roof	Ext. 75 – 200mm	1801035	£33.25
 Res 2 Uni-Flash Rubber upstand on malleable metal base Suitable for slate, flat tile and pan tile roof	Ext. 200 – 275mm	1802035	£75.40
 Res 3 Uni-Flash Rubber upstand on malleable metal base Suitable for slate, flat tile and pan tile roof	Ext. 275 – 450mm	1803035	£117.89
 Seldek Flashing No. 1 Rubber upstand on malleable metal base Suitable for slate, flat tile and pan tile roof	Ext. 60 – 150mm	0501035	£49.58

Fixing Kits for Masterflash






Ref.	External Diam. Of Pipe	Base Size (Square)	Fixing Kits
No. 4	76–152mm	250mm	3
No. 5	102–178mm	275mm	3
No. 6	127–228mm	300mm	4
No. 7	152–280mm	350mm	4
No. 8	178–330mm	425mm	5
No. 9	254–467mm	625mm	7
Maxi	330 – 660mm	850mm	9

Product Description	Diameter	Part No.	Price
 Seldek Flashing No. 2 Rubber upstand on malleable metal base Suitable for slate, flat tile and pan tile roof	Ext. 110 – 200mm	0502035	£69.06
 Seldek Flashing No. 3 Rubber upstand on malleable metal base Suitable for slate, flat tile and pan tile roof	Ext. 160 – 300mm	0503035	£129.29
 Seldek Flashing No. 4 Rubber upstand on malleable metal base Suitable for slate, flat tile and pan tile roof	Ext. 300 – 450mm	0504035	£201.87
 Universal Angled Flashing 5 – 45° incl. Storm Collar Aluminium flashing including storm collar Suitable for slate and flat tile roof	Ext. 100mm	0604035	£93.27
	Ext. 130mm	0605035	£97.40
	Ext. 150mm	0606035	£99.03
	Ext. 180mm	0607035	£113.91
	Ext. 200mm	0608035	£125.05
	Ext. 230mm	0609035	£138.30
	Ext. 250mm	0610035	£140.75
 Universal Flat Flashing incl. Storm Collar Aluminium flashing including storm collar Suitable for slate and flat tile roof	Ext. 100mm	0604038	£93.27
	Ext. 130mm	0605038	£94.86
	Ext. 150mm	0606038	£96.43
	Ext. 180mm	0607038	£110.95
	Ext. 200mm	0608038	£125.05
	Ext. 230mm	0609038	£138.30
Ext. 250mm	0610038	£140.75	
Ext. 300mm	0612038	£212.07	


Product Description	Diameter	Part No.	Price
 Universal Storm Collar Used around the flue pipe above flashing upstand to prevent water ingress	Ext. 100mm	0604041	£41.47
	Ext. 130mm	0605041	£41.71
	Ext. 150mm	0606041	£44.51
	Ext. 180mm	0607041	£44.66
	Ext. 200mm	0608041	£46.24
	Ext. 230mm	0609041	£59.90
	Ext. 250mm	0610041	£62.25
	Ext. 300mm	0612041	£76.17

Grills & Air Vents			
 Stadium Floor Ventilator Brass Louvred grill Floor Ventilator utilises air from a ventilated sub-floor void 110cm ² Free area per set		8301435	£21.84
 Stadium Floor Ventilator Chrome Louvred grill Floor Ventilator utilises air from a ventilated sub-floor void 110cm ² Free area per set		8303435	£21.84

Vent Air Size for Appliances	
No Draught Stabiliser Built Before 2008 > 5 Mtr ³ / Hr (More Than)	Size of stove – 5 Kw = ? X 550mm ²
No Draught Stabiliser Built After 2008 < 5 Mtr ³ / Hr (Less Than)	Size of Stove x 550mm ²
With Draught Stabiliser Built Before 2008 > 5 Mtr ³ / Hr (More Than)	Size of Stove – 5 Kw = ? First 5 Kw x 300mm ² = Balance of Kw ? X 850mm ² = Add to two sums together
With Draught Stabiliser Built After 2008 < 5 Mtr ³ / Hr (Less Than)	Size of Stove x 850mm ² =



Product Description	Diameter	Part No.	Price
 <p>125mm Cowled Baffled Aircore with LookRyt Retro-fitted combustion air vent with external cowl & 'LookRyt' internal finish 81cm² Equivalent area Baffle helps to deflect draught blowing through vents</p>		83057LPCWL	£33.73
 <p>125mm Aircore with LookRyt Retro-fitted combustion air vent with terracotta louvered external grill & 'LookRyt' internal finish 104cm² Equivalent area</p>		830510LP	£31.80
 <p>80mm Rytons Mini LookRyt Aircore Retro-fitted combustion air vent with terracotta louvered external grill & 'LookRyt' internal finish 31.68cm² Equivalent area</p>		8301000	£53.00
 <p>125mm Super Acoustic LookRyt Aircore Retro-fitted combustion air vent with a super acoustic lining which reduces sound, terracotta louvered external grill & 'LookRyt' internal finish 74cm² Equivalent area</p>		8305SAA	£193.94
 <p>Circular Wall Plate Internal wall finishing plate</p>		8305CWP	£7.80










Chimney Pots (Fleet delivery only)

 <p>Terracotta Roll Top Pot – Tapered – 200mm ID</p>	300mm high	3908112	£57.45
	450mm high	3908118	£69.71
	600mm high	3908124	£103.90
	750mm high	3908130	£130.01
	900mm high	3908136	£167.41
	1200mm high	3908148	£350.34




Product Description	Diameter	Part No.	Price
 <p>Buff Roll Top Pot – Tapered – 200mm ID</p>	300mm high	3908112B	£57.45
	450mm high	3908118B	£69.71
	600mm high	3908124B	£103.90
	900mm high	3908136B	£167.41
	1200mm high	3908148B	£350.34
 <p>Terracotta Cannon Head Pot – 200mm ID</p>	300mm high	3908212	£65.26
	450mm high	3908218	£83.54
	600mm high	3908224	£122.45
	900mm high	3908236	£223.73
 <p>Buff Cannon Head Pot – 200mm ID</p>	300mm high	3908212B	£65.26
	450mm high	3908218B	£83.54
	600mm high	3908230B	£166.04
	900mm high	3908236B	£223.73
 <p>Terracotta Beaded Round Pot – 200mm ID</p>	300mm high	3908312	£48.80
	450mm high	3908318	£71.27
	600mm high	3908324	£96.60
	900mm high	3908336	£168.66
 <p>Terracotta Beaded Round Pot – 250mm ID</p>	300mm high	3910312	£48.80
	450mm high	3910318	£71.27
	600mm high	3910324	£96.60
	900mm high	3910336	£168.66
 <p>Terracotta Beaded Round Pot – 300mm ID</p>	300mm high	3912312	£54.29
	450mm high	3912318	£96.86
	600mm high	3912324	£136.53
	750mm high	3912330	£149.17


Insulation











 <p>Chimwrap 1 Metre Length with Fixings Insulation blanket for solid fuel flexible liner – supplied with fixings</p>	125 – 155mm	CW1155	£41.67
	180 – 200mm	CW1200	£51.76
 <p>Chimwrap 2 Metre Length with Fixings Insulation blanket for solid fuel flexible liner – supplied with fixings</p>	125 – 155mm	CW2155	£83.33
	180 – 200mm	CW2200	£103.51










Product Description	Diameter	Part No.	Price
 Chimwrap 3 Metre Length Insulation blanket for solid fuel flexible liner – supplied with fixings	125 – 155mm	CW3155	£125.01
	180 – 200mm	CW3200	£155.26
 K-Wrap 2 Metre Length Insulation blanket specifically for use with gas and oil class 2 chimney liners	100 – 125mm	KW2100	£56.85
 K-Wrap 4 Metre Length Insulation blanket specifically for use with gas and oil class 2 chimney liners	100 – 125mm	KW4100	£113.67
 Class 0 Foil Tape 45m Long Fixing tape for use with K-Wrap & Pipe Section	75mm	75T	£22.20
 Pipe Section 30mm thick x 1000mm long Preformed pipe section for insulating single wall rigid flue within a chimney stack	159mm	6PS	£42.02
	219mm	8PS	£60.87
 Pipe Section 50mm thick x 1000mm long Preformed pipe section for insulating single wall rigid flue within a chimney stack	159mm	6PS501	£63.23
Stabilisers			
 H&S Energy Draught Regulator with Flap Used with relevant adaptor from one of the twinwall ranges this stabiliser helps to regulate flue draught Offers explosion relief protection	130mm	82053011	£296.15
	150mm	82065011	£296.15
	200mm	82080011	£366.43
 Tigex 25 Draught Stabiliser with Adaptor for Round Pipe Can be used fitted to an adaptor or retrofitted onto pipe	100mm	8204TIG25	£130.38
Chimney Balloons			
 Small Chimney Balloon Used to block off a disused chimney, prevents draughts and stops heat escaping through the chimney	230x 380mm	3709015	£34.69











Product Description	Diameter	Part No.	Price
 Medium Chimney Balloon Used to block off a disused chimney, prevents draughts and stops heat escaping through the chimney	300x 600mm	3712024	£38.65
 Large Chimney Balloon Used to block off a disused chimney, prevents draughts and stops heat escaping through the chimney	380x 900mm	3715036	£44.27
 Inflation Tube Extension Tube 600mm long Used to blow up the chimney balloon by mouth without the need to get as close to the stack		3700111	£4.60
 Handgrip Extension Kit Used to install the Chimney Balloon higher up the chimney stack		3701111	£12.89











Fixings			
 Grips & Strainers for Guy Wire Tensioners for – (for use with guy wire bracket from flue range)		0400191	£31.96
 Guy Wire (per metre) Steel guy wire	3mm	0400055	£1.53
 Telescopic Roof Support Flue band with 2 telescopic legs which can be extended from 1.9m to 3m to offer external roof support	125mm	9505029	£154.97
	150mm	9506029	£154.97

Universal Rings			
 Universal Ring Split stainless steel ring can be used as a ceiling hanger if used with threaded rod (not included) For both horizontal & angled flue runs	Ext. 80mm	8703575	£28.07
	Ext. 100mm	8704575	£30.25
	Ext. 125mm	8705575	£30.71
	Ext. 150mm	8706575	£31.15
	Ext. 175mm	8707575	£31.61
	Ext. 200mm	8708575	£32.47
	Ext. 230mm	8709575	£32.74
	Ext. 250mm	8710575	£33.19
	Ext. 300mm	8712575	£35.90

Product Description	Diameter	Part No.	Price
Soot Doors			
 Cast Iron Soot Door For inspection / cleaning access in masonry chimneys	230 x 150mm	9901154	£64.40
	230 x 230mm	9901155	£71.49
Register Plates			
 Register Plate 450 x 900mm 2mm Galvanised steel Register Plate with flue collar	133mm collar	4706133	£34.67
	158mm collar	4706158	£35.03
 Register Plate 450 x 900mm with Angles 2mm Galvanised steel Register Plate with angle irons & flue collar	133mm collar	4706133A	£44.99
	158mm collar	4706158A	£45.34
 Register Plate 813 x 380mm Single Door with Angles 2mm Galvanised steel Register Plate with single door access including angle irons	125 / 150mm	47RPSD	£46.23
 Register Plate 1066 x 380mm Dual Door with Angles 2mm Galvanised steel Register Plate with dual door access either side including angle irons	125 / 150mm	47RPDD	£60.45
 Register Plate 1230 x 600mm Dual Door with Angles 2mm Galvanised steel Register Plate with dual door access either side including angle irons	125 / 150mm	47RPDDL	£92.45
 Angle Iron Supports 2 x 900mm 2 x 450mm Used for supporting Register Plate		ANGLE	£10.31
 Register Plate Split Collar Used to clamp around stove pipe when going through a register plate	125mm	1305060	£35.06
	150mm	1306060	£35.06
Fireside Accessories			
 Moisture Metre Use to measure the moisture content in wood, below 20% before burning is advised to reduce tar build up.		69MM	£31.80
 2 Blade Stove Fan Used to help circulate warm air when placed on a lit appliance – general purpose use, 230mm high		692BF	£95.39

Product Description	Diameter	Part No.	Price
 PremiAir 4 Blade Fan Used to help circulate warm air when placed on a lit appliance – for optimum airflow, suitable for medium / large rooms 199mm high		69PA4	£101.75
 Ventum 2 Blade Fan Used to help circulate warm air when placed on a lit appliance – good for smaller stoves & rooms, 174mm high		69VENT2	£90.10
 Ventum 3 Blade Fan Used to help circulate warm air when placed on a lit appliance – suits larger rooms & has quieter airflow operation, 199mm high		69VENT3	£96.46
 Vanquish Stove Fan Used to help circulate warm air when placed on a lit appliance - for maximum output suiting very large rooms, 250mm high		69VANQ	£148.40
 Stove Thermometer Magnetic thermometer can fit to stove or single wall flue pipe Comes with wire fixing for non magnetic pipe.		THERM	£22.14
 Chimney Cleaning Log Use 2 to 3 weeks before sweeping to allow chemicals to work on soot and tar deposits to help give a better clean		CCL	£10.49
 Fire Lighter Drum (100) 100 Individually sealed firelighters		FL	£7.58
 Glass Cleaner Non-flammable alkali based solvent used to clean appliance door glass.		69GCS	£7.41
 Fireside Tidy / Carry Case Made of steel with a black finish this tidy can be used to transfer ashes to be disposed of after cleaning or used for storage of fireside accessories		69FST	£28.61

Product Description	Diameter	Part No.	Price
 Ash Vac Used to vacuum ashes from wood, solid fuel & pellet appliances		69V	£90.00
 Match Tidy Made of steel with a black finish this tidy can be used to neatly store matches away		69MT	£8.47
 Firelighter Tidy Made of steel with a black finish this tidy can be used to neatly store away firelighters		69FLT	£13.77
 Fireside Bucket Firewood storage / transporting bucket		69FSB	£18.01
Installation Essentials			
 Smoke Pellets 13g Used for smoke testing appliances	tub of 50	5500124	£41.74
	tube of 6	5500123	£10.38
 No More Gloves Protective membrane designed to give up to 5 hours protection to hands from dirt, grease, paint & oil	250ml	83NMG	£13.35
	1 litre	83NMG1	£20.02
 Self Tapping Screws	Bag of 25	STS	£3.50
 Drill Bit For Self Tapping Screws 3.0mm		DBSTS	£7.96
 4mm Stainless Steel Rivets	Bag of 25	SPR	£4.29
 Cobalt Drill Bit To Suit Rivets 4.1mm		CDB	£7.96
 Flat Adhesive Glass Fibre Tape (per metre) Provides a seal on appliance doors and joints between pipes & appliances	12mm	9912223	£1.08
	25mm	9925223	£1.80
 Glass Fibre Cord (per metre) Used to provide a tight joint between flue pipes and appliance outlets	6mm	9906222	£0.60
	12mm	9912222	£1.20
	25mm	9925222	£7.18
 High Temperature Rope Adhesive Used to adhere rope seal	70ml	5500126	£7.16

Product Description	Diameter	Part No.	Price
 Carbon Monoxide Alarm (10 year life) Sealed battery 10 year life battery Carbon Monoxide alarm		85C09X10	£19.24
 Digital Carbon Monoxide Alarm Sealed battery 7 year life battery Carbon Monoxide alarm, with digital screen reading & temperature display		85C09D	£34.97
 Fire Cement Used to seal around appliance outlet joints & for Vitreous Enamel to ensure smoke and gas tight joints.	1kg	8102115	£3.67
	2kg	8103115	£7.30
	5kg	8106115	£17.89
 Black Fire Cement Used to seal around appliance outlet joints & for Vitreous Enamel to ensure smoke and gas tight joints	1kg	8102116	£4.51
	2kg	8103116	£7.85
	5kg	8106116	£20.90
 Heatseal Silicone Black 250°C (300°C Intermittently)	310ml	5500734	£10.58
 Heatseal Black XHT Sealant Adhesive Up to 1250°C	310ml	5500766	£8.38
 Cartridge Gun (For Heatseal Tubes)		83GUN	£4.44
 Data Plate Installation information plate, building regulations require these to be completed for each install		DP	£0.86
 M460 Air Meter Draft Gauge Used to test flue draft		AIRMETER	£79.24
 Stovebright Matt Black Paint Self Priming and Heat Resistant to 650°C, supplied in an aerosol spray can	400ml	3901112	£12.33