

Product Quality Promise

All products have been tested and certified to the relevant British and European Standards - BS715:1993, BS5871 and BS EN 1856 Part 2 where required.

Delivery & Service

All products are supplied fully assembled to enable easy fitting. No special tools are required.

STATIC ANTI-DOWN DRAUGHT COWLS

Junior Cowl

The Junior Cowl has been tested and approved to BS715 : 1993 and against BS EN 1856 Part 2. It comes fully assembled, complete with a bird guard in Terracotta mild steel or a Stainless Steel finish. Suitable for all fuel applications. For solid fuel installations we recommend the Stainless Steel version, painted terracotta, if fitted to a chimney pot.

- Strap fix onto chimney pot
- Suitable for all fuel applications
- Certified to BS715:1993
- Fully assembled complete with bird guard

Part No.	
Terracotta	3501002
S/Steel Terracotta	3501010
Bolt Kit	3501005



Mad Cowl

The MAD Cowl has been tested and approved to BS715 : 1993 and against BS EN 1856 Part 2. It comes fully assembled, complete with a rectangular stainless steel bird guard. The MAD cowl offers greater protection against down draught conditions. Available with hook bolt fixing or strap fixing in a terracotta finish.

- Tested to BS715 : 1993
- Available in terracotta finish
- Two fixing methods available
- Fully assembled complete with bird guard

Part No.	
Terracotta Strap Fix	3503003
Bolt Kits	3501005



Mini Euro

The Euro Pot Hanging Cowl is designed to prevent birds, vermin and debris from entering your flue liner and to protect against rain. Made with stainless steel this one piece construction cowl is secured to the liner with two sets of jubilee bands.

- Tested to BS715 : 1993
- Available in terracotta finish
- Two fixing methods available
- Fully assembled complete with bird guard

Part No.	
Terracotta	3601005
S/Steel	3601004
150mm Internal Nova	1106079



Anti Down Draught Pot Hanger Cowl

The pot hanger allows the chimney liner to be installed without removing the pot, but prevents any downdraught and increased rain protection. It is used at the top of the chimney pot to take the weight of the liner, simply push the liner between the three straps and tighten the supplied jubilee band.

- Anti downdraught terminal
- Fully assembled ready to fit
- Bolt fixing included

Part No. 35**004
**Denotes diameter in inches.
Available in 125/150 DIA



Steel Top (Vedette Cowl)

The Steel Top or Vedette Cowl as it is traditionally known is recommended by many appliance manufacturers to help with the up draught on oil and solid fuel installations.

- 316 Stainless Steel
- Anti downdraught terminal

Part No. 36**074
Mesh Kit 36**075
(Mesh kit needed for Gas/Oil)
**Denotes diameter in inches.
Available in 100/125/150/175/200 DIA



SPINNING ANTI-DOWN DRAUGHT COWLS

Spinner Cowl

The Spinner cowl is a British made revolving cowl designed to eradicate downdraught whilst the rotating action assists ventilation. Being made in the UK allows control of the manufacture of this very technical cowl whilst ensuring only prime materials are used in the production process.

- Suitable for Wood/Solid Fuel/Gas
- Terracotta finish
- Fully assembled ready to fit
- Bolt fixing included
- Tested to BS715 & BSEN 1856
- Suits 5"-10" Internal diameter pots
- Stainless Steel Fin Structure
- Painted Base increases protection

Part No.
Terracotta 3501008
Spinner Mini 3501022
Spinner Large 3501018



BIRDCUARDS

Pot Hanger Cowl

This cowl has been developed as a result of feedback from customers who wanted a combined Pot Hanger/bird guard with an easy installation method they can have total confidence in. It is manufactured totally from stainless steel with a terracotta finish and comes complete with two fixing straps. Vented design ensures airflow from stack & prevents mould build-up.

- Suitable for Wood/Solid Fuel
- Terracotta & buff finish
- Fully assembled
- Strap Fixing included
- Available to suit 5" 6" & 7" Diameter MF Liner
- Easy Install – No special tools required
- Supports up to 20m liner

Part No.
Terracotta 35**001
Buff 35**001B
Screw Type Pot Hanger
95**040RV
95**040RVT
35**001RV
**Denotes diameter in inches



Solid Fuel Bird Guard/Woodburner Bird Guard

The solid fuel bird guard has been specially designed to match in with our pot hanging cowl and offering good rain protection with large square mesh to reduce animal entry and soot build up. Stainless steel, painted terracotta option, offers greater resistance to acid attack.

- Strap fix method
- Fits flue sizes 125-250mm internal diameter
- Available in both mild steel and 316 stainless steel terracotta finish

Part No.	
Solid Fuel	3501012
Buff	3501012B
S/Steel	3501012S



Decorative Pot Guard

This bird guard adjusts to fit all chimney pots or flue systems from 150-225mm internal diameter. Friction fit to inside of chimney pot.

- Available in Terracotta and buff
- Simple fit method – no tools required

Part No.	
Terracotta	3510367
Buff	3511367



Rain Guard

Simple to fit, this product reduces rain and animal entry. Supplied with a stainless steel fixing strap and available in a terracotta finish with a birdguard mesh.

- No special tools required
- Available in terracotta

Part No.	
Terracotta	3508077



Euro Topguard

Prevents birds, vermin and leaves entering chimney whilst maintaining flue efficiency. Provides good ventilation and gives added protection against wind and rain.

- Fits 125-250mm chimney pots
- Strap fixing method
- Available in terracotta or buff finishes
- 316 stainless steel models suitable for solid fuel applications

Part No.	
S/Steel	3600077
S/Steel Terracotta	3600079
S/Steel Buff	3600078



GAS & OIL FLEXIBLE LINER COWLS

Uniterm Type B Cowl

The Uniterm Type B Cowl is designed to be installed directly to the top of an existing round chimney and is suitable for domestic Gas fired appliances.

- Tested and Certified to BS715: 1993
- Available in 125mm & 100mm diameter
- Allows connection of a flexible fueliner through pot

Part No.	99**073B
----------	----------



Type B Oil Cowl

Similar to the Uniterm Type B Cowl, this Type B Cowl is suitable for domestic oil fired appliances.

- Available in 100 - 150mm diameter
- Allows connection of a flexible fueliner through pot

Part No. 99**074B
 **Denotes diameter in inches



REDUNDANT FLUES

C-CAP

- Fitted in seconds to any standard round pot up to 280mm
- 100% protection from rain, snow, nesting birds etc.
- Helps eliminate wasteful heat loss
- Blends neatly with the traditional character of the stack
- Economical and totally reliable
- Available in terracotta and buff finish

Part No.
 Terracotta 3600053
 Buff 3600054



Recommendation of Fuel Usage:

PRODUCT	GAS	OIL	WOOD	SOLID FUEL
Junior Cowl Terracotta	*	*	*	
Junior Cowl S/Steel			*	*
MAD Cowl Terracotta	*	*	*	
Mini Euro	*	*	*	*
Steel Top (Vedette) 316	*	*	*	*
Spinner Cowl	*	*	*	*
Pot Hanger Cowl/Anti Downdraught			*	*
Decorative Birdguard	*	*	*	*
Rain Guard Terracotta	*	*	*	
Euro Topguard Terracotta/Buff	*	*		
Euro Topguard S/Steel	*	*	*	*
Uniterm Type B Cowl	*			
Type B Oil Cowl		*		

Ask us for more information

www.specflue.com // 0333 999 7974 // sales@specflue.com